INTUVUET RDR-7000 WEATHER RADAR SYSTEM

Providing an unmatched and comprehensive view of weather across all stages of flight to operate more safely, comfortably and on schedule.

WEATHER CAN'T

Comprehensive information about weather conditions is a critical factor for efficient, reliable, and safe aircraft operations. Weather related delays, cancellations and damages are costly to aircraft operators annually. For more than 100 years, Honeywell has developed flight safety systems for all types of aircraft and spacecraft and our innovation continues with the latest in the IntuVue™ weather radar family.

INTUVUE™ RDR-7000 WEATHER RADAR SYSTEM

With the RDR-7000, we're bringing our industry-leading IntuVue™ weather radar technology in a lightweight, more powerful and easily retrofitted single line replacement unit to fit more business aircraft platforms. This weather radar provides:

A Complete View


The IntuVue™ RDR-7000 uses 3D volumetric scanning across an extensive detection range to create a complete, real-time view of weather from 0 to 60,000 feet and up to 320nm from the aircraft.

A Continuous View

The radar is fully automatic and does not require active pilot adjustments of tilt and/or gain for operation, reducing workload in the cockpit. Instead, pilots can focus on flying the most comfortable and safest route through weather.

An Intuitive View

Every year, thousands of aircraft are impacted by hail and lightning. The IntuVue™ RDR-7000 hazardous weather display is designed with core human factors principles, enabling the flight crew to quickly assess the relative severity of storm cells.



An Actionable View

The comprehensive and accurate perspective across all phases of flight, combined with more time to react to weather hazards, allows pilots to calculate the best strategic and tactical responses.



A Valuable View

The unique display capability and easyto-interpret symbology help operators reduce or eliminate weather-related incidents, flight delays or unnecessary route deviations. The IntuVue™ RDR-7000 can enhance safety and passenger comfort and reduce costs of operation.

Maritime Surveillance Capability for Rotorcraft

Enhance Search & Rescue and Oil & Gas missions through detection and display of seaborne vessels and structures. Advanced surveillance features include Target Overlay, Sea Clutter Reduction, and Sector Scan.

CERTIFICATION	
TSO	TSO-C63f

Flat Plate	12" and 18"
Val. 1 Taxe	12 010 10

RDR-7000 SPECIFICATIONS	
Weight	13 lbs (5.9 kg)
Input Power	28 VDC
Power Dissipated	70 W
Environmental	DO-160G (-55°C to +70°C)
Software	RTCA DO-178C

TRANSMITTER/RECEIVER		
Transmitter Type	Solid State Gallium Nitride (GaN)	
Transmitter Method	Pulsa Compression	

SYSTEM SPECIFICATIONS		
Max Detection Ranges	320 nm - Weather and Ground Map	
	60 nm – Turbulence	
	5 nm - Windshear	
Azimuth Coverage	+/- 60 degs - Weather and Ground Map	
	+/- 40 degs - Windshear	
Elevation Coverage	0 to 60,000 feet	
Environmental	DO-160G (-55°C to +70°C)	

